



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Organixx
297 Kingsbury Grade, Suite 1043 Mail Box 4470
Stateline, NV 89449-4470
USA

Sample Information

ARL ID: 673888
Date Received: 4/24/2023
Date Tested: 4/24/2023
Description: 7 Mushrooms
Lot#: 22930

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Heavy Metals	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	0.155	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.012	ppm	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.007	ppm	1
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.062	ppm	1

Notes:

1. This COA does not represent additional testing beyond what was provided on the COA for ARL ID 658847.

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Organixx
297 Kingsbury Grade, Suite 1043 Mail Box 4470
Stateline, NV 89449-4470
USA

Sample Information

ARL ID: 673930
Date Received: 4/24/2023
Date Tested: 4/24/2023
Description: 7 Mushrooms
Lot#: 22930

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Soy Allergens	ELISA	2.5	≤ 2.5	< 2.5	ppm	1

Notes:

1. This COA does not represent additional testing beyond what was provided on the COA for ARL ID 658847.

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Organixx
297 Kingsbury Grade, Suite 1043 Mail Box 4470
Stateline, NV 89449-4470
USA

Sample Information

ARL ID: 673897
Date Received: 4/24/2023
Date Tested: 4/24/2023
Description: 7 Mushrooms
Lot#: 22930

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Glyphosate (HPLC)	ARL 2.073	0.4	Record Only	< 0.4	%	1

Notes:
1. This COA does not represent additional testing beyond what was provided on the COA for ARL ID 658847.

†Method Detection Limit (MDL):
In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):
In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-001909/D002.R000
Report Date: 02/22/2023
Purchase Order:
Received: 02/14/23 10:01 AM



Customer: Analytical Resource Lab
520 South 850 East, STE B3
Lehi Utah 84043
United States of America (USA)
Sample ID: 658848: 7 Mushrooms Lot: 22930
Sample Matrix: Supplement
Laboratory ID: 23-001909-0002-00
Evidence of Cooling: No
Temp: 17.1 °C
Relinquished by: Fedex

Sample Results

Pesticides

Multi-Residue Pesticide Profile

All compounds on the attached sheet were found to be <LOQ except those listed

Analyte	Result	Units	LOQ	Analyzed	Method	Notes
Carbendazim	0.0120	mg/kg	0.0100	02/21/23	AOAC 2007.01 & EN 15662 (mod) ^p	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-001909/D002.R000
Report Date: 02/22/2023
Purchase Order:
Received: 02/14/23 10:01 AM



P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
1, NAA	0.01
2,4,5-T	0.01
2,4,5-TP	0.01
2,4-D	0.01
2,4-DB	0.01
2,4-DP (Dichlorprop)	0.01
Abamectin (Avermectin)	0.01
Acephate	0.02
Acequinocyl	0.01
Acetamiprid	0.01
Acetochlor	0.02
Acifluorfen	0.01
Acrinathrin	0.01
Alachlor	0.02
Aldicarb	0.01
Aldicarb sulfone (Aldoxycarb)	0.01
Aldicarb-sulfoxide	0.01
Aldrin	0.01
Ametoctradin	0.01
Ametryn	0.01
Aminocyclopyrachlor	0.01
Anilazine	0.03
Aspon	0.01
Asulam	0.01
Atrazine	0.01
Atrazine-desethyl	0.01
Azinphos-ethyl	0.01
Azinphos-methyl	0.01
Azoxystrobin	0.01
Benalaxyl	0.01
Bendiocarb	0.01
Benfluralin	0.01
Benoxacor	0.01
Bensulide	0.01
Bentazon	0.01
Benzovindiflupyr	0.01
BHC alpha isomer	0.01
BHC beta isomer	0.01
BHC delta isomer	0.01
Bifenazate	0.01
Bifenox	0.01
Bifenthrin	0.01
Binapacryl	0.04
Bioresmethrin	0.01
Bitertanol	0.02
Boscalid	0.01
Broflanilide	0.01
Bromacil	0.02
Bromophos-methyl	0.01
Bromophos-ethyl	0.02
Bromopropylate	0.01
Bromoxynil	0.01
Bromuconazole	0.01
Bupirimate	0.01

Analyte	LOQ (mg/kg)
Buprofezin	0.01
Butachlor	0.01
Butoxycarb	0.01
Butralin	0.02
Butylate	0.01
Cadusafos	0.01
Captafol	0.1
Captan	0.02
Carbaryl	0.01
Carbendazim	0.01
Carbofuran	0.01
Carbofuran, 3-hydroxy	0.01
Carbophenothion	0.01
Carbophenothion methyl	0.01
Carboxin	0.01
Carfentrazone-ethyl	0.01
Chlorantraniliprole	0.01
Chlordane, cis-	0.01
Chlordane, trans-	0.01
Chlordimeform	0.01
Chlorfenapyr	0.02
Chlorfenson (Ovex)	0.01
Chlorfenvinphos	0.01
Chlorimuron-ethyl	0.01
Chlornitrofen (CNP)	0.02
Chlorobenzilate	0.01
Chloroneb	0.01
Chlorothalonil	0.04
Chlorpropham (CIPC)	0.01
Chlorpyrifos (ethyl)	0.01
Chlorpyrifos-methyl	0.01
Chlorsulfuron	0.01
Chlorthal-dimethyl (Dacthal)	0.01
Chlorthion	0.02
Chlorthiophos	0.01
Clethodim	0.01
Clethodim sulfone	0.01
Clethodim sulfoxide	0.01
Clofentezine	0.01
Clomazone	0.01
Clopyralid	0.01
Clothianidin	0.01
Coumaphos	0.01
Crotoxyphos	0.01
Cyanazine	0.01
Cyanofenphos	0.01
Cyanophos	0.04
Cyantraniliprole	0.01
Cyazofamid	0.01
Cycloate	0.01
Cycloxydim	0.01
Cyfluthrin	0.03
Cyhalothrin, lambda	0.01
Cymoxanil	0.01

Analyte	LOQ (mg/kg)
Cypermethrin	0.01
Cyprodinil	0.01
Cyromazine	0.01
DCPMU	0.01
DDD, o,p'-	0.01
DDD, p,p'-	0.01
DDE, o,p'-	0.01
DDE, p,p'-	0.01
DDT, o,p'-	0.01
DDT, p,p'-	0.01
DEF (Tribufos)	0.01
Deltamethrin	0.01
Demeton-S	0.02
Demeton-S methyl-sulfone	0.02
Demeton-s-methyl	0.02
Desmedipham	0.01
Diallate	0.01
Diazinon	0.01
Diazoxon	0.01
Dicamba (Banvel)	0.01
Dichlobenil	0.01
Dichlofenthion	0.01
Dichlofluanid	0.01
Dichlorobenzamide	0.01
Dichlorvos	0.01
Diclobutrazol	0.01
Diclofop (acid)	0.01
Diclofop-methyl	0.01
Dicloran	0.04
Dicofol, p,p'-/o,p'-	0.02
Dicrotophos	0.01
Dieldrin	0.01
Diethofencarb	0.01
Diethyltoluamide (DEET)	0.01
Difenoconazole	0.01
Diflubenzuron	0.01
Diflufenzopyr	0.01
Dimethenamid	0.01
Dimethoate	0.01
Dimethomorph	0.01
Diniconazole	0.01
Dinocap	0.01
Dinoseb (Dinitro)	0.01
Dinotefuran	0.01
Dioxathion	0.01
Diphenamid	0.01
Diphenylamine (DPA)	0.01
Disulfoton	0.02
Disulfoton sulfone	0.01
Disulfoton sulfoxide	0.01
Dithianon	0.01
Dithiopyr	0.01
Diuron	0.01
DNOC	0.01

LOQ= Limit of Quantitation
mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-001909/D002.R000
 Report Date: 02/22/2023
 Purchase Order:
 Received: 02/14/23 10:01 AM



P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
Edifenphos	0.01
Endosulfan (α isomer)	0.02
Endosulfan (β isomer)	0.02
Endosulfan sulfate	0.01
Endrin	0.02
Endrin aldehyde	0.02
EPN	0.01
EPTC	0.01
Esfenvalerate/Fenvalerate	0.02
Etaconazole	0.01
Ethaboxam	0.01
Ethalfuralin	0.01
Ethiofencarb	0.01
Ethion	0.01
Ethirimol	0.01
Ethofumesate	0.01
Ethoprophos	0.01
Ethoxyquin	0.01
Etofenprox	0.01
Etoxazole	0.01
Etridiazole	0.01
Etrimfos	0.01
Famoxadone	0.02
Famphur	0.01
Fenamidone	0.01
Fenamiphos	0.01
Fenamiphos Sulfone	0.01
Fenamiphos Sulfoxide	0.01
Fenarimol	0.01
Fenazaquin	0.01
Fenbuconazole	0.01
Fenbutatin oxide	0.01
Fenchlorphos	0.01
Fenhexamid	0.01
Fenitrothion	0.01
Fenobucarb (Baycarb)	0.01
Fenoxaprop-P-Ethyl	0.01
Fenoxycarb	0.01
Fenproprathrin	0.01
Fenpyroximate	0.01
Fenson	0.02
Fensulfthion	0.01
Fenthion	0.01
Fenuron	0.01
Fipronil	0.01
Flonicamid	0.01
Fluazifop	0.01
Fluazinam	0.01
Fluchloralin	0.01
Flucythrinate	0.03
Fludioxonil	0.01
Flufenacet	0.01
Flumioxazin	0.01
Fluometuron	0.01

Analyte	LOQ (mg/kg)
Fluopicolide	0.01
Fluopyram	0.01
Fluoxastrobin	0.01
Flupyradifurone	0.01
Fluprindol	0.01
Fluridone	0.01
Fluroxypyr (free acid)	0.01
Flusilazol	0.01
Fluthiacet Methyl	0.01
Flutolanil	0.01
Flutriafol	0.01
Fluvalinate -tau	0.01
Fluxapyroxad	0.01
Folpet	0.02
Fomesafen	0.01
Fonofos	0.01
Foramsulfuron	0.01
Forchlorfenuron	0.01
Formetanate	0.01
Furathiocarb	0.01
Halosulfuron-methyl	0.01
Haloxyfop (free acid)	0.01
Heptachlor	0.01
Heptachlor epoxide	0.01
Hexachlorobenzene (HCB)	0.01
Hexaconazole	0.01
Hexazinone (Velpar)	0.01
Hexythiazox	0.01
Hydroprene	0.01
Imazalil	0.01
Imazamox	0.01
Imazapic	0.01
Imazapyr	0.01
Imazaquin	0.01
Imazethapyr	0.01
Imidacloprid	0.01
Imidoxone (Phosmet-Oxon)	0.01
Indaziflam	0.01
Indoxacarb	0.01
Iprobenfos	0.01
Iprodione	0.02
Isazophos	0.01
Isobenzan	0.01
Isocarbophos	0.01
Isodrin	0.01
Isofenphos	0.01
Isofenphos-methyl	0.01
Isofenphos-OA	0.01
Isoprocarb	0.01
Isopropalin	0.01
Isoprothiolane	0.01
Isoproturon	0.01
Isoxaben	0.01
Isoxaflutole	0.01

Analyte	LOQ (mg/kg)
Kresoxim-methyl	0.01
Lactofen	0.02
Lenacil	0.01
Lindane	0.01
Linuron	0.01
Malaoxon (Malathion-o-analog)	0.01
Malathion	0.01
Mandipropamid	0.01
MCPA	0.01
MCPB	0.01
MCPP (Mecoprop)	0.01
Mecarbam	0.01
Mefenrillfluconazole	0.01
Mepanipyrim	0.01
Mesosulfuron Methyl	0.01
Mesotrione	0.01
Metalaxyl/Mefenoxam	0.01
Metconazole	0.01
Methacrifos	0.01
Methamidophos	0.01
Methidathion	0.01
Methiocarb	0.01
Methiocarb sulfone	0.01
Methiocarb sulfoxide	0.01
Methomyl	0.01
Methoxychlor	0.01
Methoxyfenozide	0.01
Metobromuron	0.01
Metolachlor	0.01
Metolcarb	0.01
Metrafenone	0.01
Metribuzin	0.01
Metsulfuron-methyl	0.01
Mevinphos	0.01
Mexacarbate	0.01
MGK-264	0.01
Mirex	0.01
Molinate	0.01
Monocrotophos	0.01
Monolinuron	0.01
Myclobutanil	0.01
Naled	0.01
Napropamide	0.01
Neburon	0.01
Nicosulfuron	0.01
Nitrapyrin	0.02
Nitrofen	0.02
Norflurazon	0.01
Novaluron	0.01
Nuarimol	0.02
Omethoate	0.01
O-Phenylphenol	0.01
Oryzalin	0.01
Oxadiazon	0.01

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-001909/D002.R000
Report Date: 02/22/2023
Purchase Order:
Received: 02/14/23 10:01 AM



P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
Oxadixyl	0.01
Oxamyl	0.01
Oxamyl-oxime	0.01
Oxathiapiprolin	0.01
Oxychlorane	0.01
Oxydemeton-Methyl	0.01
Oxyfluorfen	0.01
Oxythioquinox	0.02
Pacllobutrazol	0.01
Paraoxon-ethyl	0.01
Paraoxon-methyl	0.01
Parathion-ethyl	0.01
Parathion-methyl	0.03
PCP (Pentachlorophenol)	0.01
Penconazole	0.01
Pendimethalin	0.01
Penflufen	0.01
Pentachloroaniline (PCA)	0.01
Pentachloroanisole	0.01
Pentachlorobenzene (PCB)	0.01
Pentachlorothioanisole (PCTA)	0.03
Penthiopyrad	0.01
Permethrin	0.01
Perthane	0.01
Phenmedipham	0.01
Phenothrin	0.01
Phenthoate	0.01
Phorate	0.01
Phorate OA	0.01
Phorate Sulfone	0.01
Phorate Sulfoxide	0.01
Phosalone	0.01
Phosmet	0.01
Phosphamidon	0.01
Phoxim	0.01
Phthalimide	0.02
Picloram	0.01
Pinoxaden	0.01
Piperonyl Butoxide	0.01
Pirimicarb	0.01
Pirimiphos-Ethyl	0.01
Pirimiphos-Methyl	0.01
Pirimisulfuron-Methyl	0.01
Prallethrin	0.01
Prochloraz	0.01
Procymidone	0.01
Prodiamine	0.01
Profenofos	0.01
Profluralin	0.01
Promecarb	0.01
Prometon	0.01
Prometryne	0.01
Pronamide (Propyzamide)	0.01
Propachlor	0.01

Analyte	LOQ (mg/kg)
Propamocarb	0.01
Propanil	0.01
Propargite	0.01
Propazine	0.01
Propetamphos	0.01
Propam	0.01
Propiconazole	0.01
Propoxur	0.01
Propoxycarbazone sodium	0.01
Prosulfuron	0.01
Prothioconazole	0.01
Prothiofos	0.01
Pydiflumetofen	0.01
Pymetrozine	0.01
Pyraclostrobin	0.01
Pyraflufen-ethyl	0.01
Pyrazophos	0.01
Pyrethrins	0.01
Pyridaben	0.01
Pyridate	0.01
Pyrifluquinazon	0.01
Pyrimethanil	0.01
Pyriproxifen	0.01
Pyroxasulfone	0.01
Pyrosulam	0.01
Quinalphos	0.01
Quinclorac	0.01
Quinoxifen	0.01
Quintozene(PCNB)	0.01
Quizalofop (free acid)	0.01
Resmethrin	0.01
Rimsulfuron	0.01
Rotenone	0.01
S-421	0.01
Saflufenacil	0.01
Sebuthylazine	0.01
Sedaxane	0.01
Sethoxydim	0.01
Simazine	0.01
Simetryn	0.01
Spinetoram	0.01
Spinosad (α, β isomers)	0.01
Spirodiclofen	0.01
Spiromesifen	0.01
Spirotetramat	0.01
Spirotetramat-enol	0.01
Spiroxamine	0.01
Sulfallate	0.01
Sulfentrazone	0.03
Sulfometuron-methyl	0.01
Sulfosulfuron	0.01
Sulfotep	0.01
Sulfoxaflor	0.01
Sulprofos	0.01

Analyte	LOQ (mg/kg)
Tebuconazole	0.01
Tebufenozide	0.01
Tebuthiuron	0.01
Tecnazene	0.01
Tefluthrin	0.01
Tembotrione	0.01
Terbacil	0.04
Terbufos	0.01
Terbufos sulfone	0.01
Terbufos sulfoxide	0.01
Terbutylazine	0.01
Terbutryn	0.01
Tertrachlorvinphos	0.01
Tetraconazole	0.01
Tetradifon	0.01
Tetramethrin	0.01
Tetrasul	0.01
Thiabendazole	0.01
Thiabendazole, 5-hydroxy	0.01
Thiacloprid	0.01
Thiamethoxam	0.01
Thifensulfuron-methyl	0.01
Thiobencarb (benthiocarb)	0.01
Thiodicarb	0.01
Thiometon	0.02
Thionazin	0.01
Thiophanate-methyl	0.01
Tolclofos-methyl	0.01
Tolfenpyrad	0.01
Tolyfluanid	0.01
Topramezone	0.01
Tralkoxydim	0.01
Triadimefon	0.01
Triadimenol	0.01
Tri-allate	0.01
Triasulfuron	0.01
Triazophos	0.01
Tribenuron-methyl	0.01
Trichlorfon	0.01
Triclopyr	0.02
Trifloxystrobin	0.01
Trifloxysulfuron -sodium	0.01
Triflumizole	0.01
Trifluralin	0.01
Triflurosulfuron-methyl	0.01
Triforin	0.01
Trinexapac (acid)	0.01
Trinexapac Ethyl	0.01
Triticonazole	0.01
Vinclozolin	0.01
Zoxamide	0.01

LOQ= Limit of Quantitation
mg/kg= milligram per kilogram (ppm)