



Certificate of Analysis

Client Information

Organixx
297 Kingsbury Grade, Suite 1043 Mail Box 4470
Stateline, NV 89449-4470
USA

Sample Information

Sample ID: 910270
Date Received: 5/20/2026
Description: Brain Health 8
Lot#: 2025-29779
Expiration Date: 02/2028

Results						
Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	0.144	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.131	ppm	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.006	ppm	1
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.388	ppm	1
Gluten Allergens	ELISA	5	< 10	<5	ppm	1
Soy Allergens (ELISA)	ELISA	2.5	< 2.5	<2.5	ppm	1
Glyphosate (HPLC)	ARL 2.073	0.4	Record Only	< 0.4	%	1

[†]Method Detection Limit (MDL):

In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

[†]Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.

Form: coa031201a Report: 910270

Printed on: 6/4/2026 8:52:46 AM

experience • professionalism • value



Released by: Hailee Rau

Date Released: 6/4/2026

Customer: Analytical Resource Lab
 520 South 850 East, STE B3
 Lehi Utah 84043
 United States of America (USA)

Sample ID: 912005, Brain Health 8
Sample Matrix: Supplement, powder capsules
Laboratory ID: 26-006600-0001-00
Evidence of Cooling: No
Temp: 20.8 °C
Lot #: 2025-29779

Sample Results

Pesticides

P2220 Multi-Residue Pesticide Profile

Analyte	Result	Units	LOQ	Analyzed	Method	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes	mg/kg		06/04/26	AOAC 2007.01 ^b	

Abbreviations

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

mg/kg = Milligram per kilogram = parts per million (ppm)

Approved Signatory



Derrick Tanner
 General Manager

Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2026-06-04

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
1-Naphthaleneacetic acid	0.04	2,4-D	0.01	2,4-DB	0.01	2,4-DP	0.01
2,4,5-T	0.01	2,4,5-TP	0.01	2,6-Dichlorobenzamide	0.01	Abamectin (Avermectin)	0.01
Acephate	0.02	Acequinocyl	0.01	Acetamiprid	0.01	Acetochlor	0.02
Acibenzolar	0.01	Acibenzolar-s-methyl	0.01	Acifluorfen	0.01	Acrinathrin	0.01
Afidopyropen	0.01	Alachlor	0.02	Aldicarb	0.01	Aldicarb-sulfone	0.01
Aldicarb-sulfoxide	0.01	Aldrin	0.01	Ametoctradin	0.01	Ametryn	0.01
Aminocyclopyrachlor	0.01	Anilazine	0.03	Aspon	0.01	Asulam	0.01
Atrazine	0.01	Atrazine-desethyl	0.01	Azadirachtin	0.01	Azinphos-ethyl	0.01
Azinphos-methyl	0.01	Azoxystrobin	0.01	Benalaxyl	0.01	Bendiocarb	0.01
Benfluralin	0.01	Benoxacor	0.01	Bensulide	0.01	Bentazone	0.01
Benzovindiflupyr	0.01	BHC (α , β , γ , δ isomers)	0.01	Bifenazate	0.01	Bifenox	0.01
Bifenthrin	0.01	Binapacryl	0.04	Bioresmethrin	0.01	Bispyribac-sodium	0.01
Bitertanol	0.02	Boscalid	0.01	Broflanilide	0.01	Bromacil	0.02
Bromophos-ethyl	0.02	Bromophos-methyl	0.01	Bromopropylate	0.01	Bromoxynil	0.01
Bromuconazole	0.01	Bupirimate	0.01	Buprofezin	0.01	Butachlor	0.01
Butoxycarboxim	0.01	Butralin	0.02	Butylate	0.01	Cadusafos	0.01
Captafol	0.10	Captan	0.02	Carbaryl	0.01	Carbendazim	0.01
Carbofuran	0.01	Carbofuran-3-hydroxy	0.01	Carbophenothion	0.01	Carbophenothion-methyl	0.01
Carboxin	0.01	Carfentrazone-ethyl	0.01	Chlorantraniliprole	0.01	Chlordane	0.01
Chlordimeform	0.01	Chlorfenapyr	0.02	Chlorfenson	0.01	Chlorfenvinphos	0.01
Chlorimuron-ethyl	0.01	Chlornitrofen	0.02	Chlorobenzilate	0.01	Chloroneb	0.01
Chlorothalonil	0.04	Chlorpropham (CIPC)	0.01	Chlorpyrifos-ethyl	0.01	Chlorpyrifos-methyl	0.01
Chlorsulfuron	0.01	Chlorthal-dimethyl (Dacthal, D	0.01	Chlorthion	0.02	Chlorthiophos	0.01
Cinerin I	0.01	Clethodim	0.01	Clethodim (sum)	0.01	Clethodim-sulfone	0.01
Clethodim-sulfoxide	0.01	Clofentezine	0.01	Clomazone	0.01	Clopyralid	0.01
Clothianidin	0.01	Coumaphos	0.01	Crotoxyphos	0.01	Cyanazine	0.01
Cyanofenphos	0.01	Cyanophos	0.04	Cyantraniliprole	0.01	Cyazofamid	0.01
Cycloate	0.01	Cycloxydim	0.01	Cyflufenamid	0.01	Cyflumetofen	0.01
Cyfluthrin (sum)	0.02	Cyhalothrin, lambda	0.01	Cymoxanil	0.01	Cypermethrin (sum)	0.02
Cyprodinil	0.01	Cyromazine	0.01	DDD-o,p'	0.01	DDD-p,p'	0.01
DDE-o,p'	0.01	DDE-p,p'	0.01	DDT-o,p'	0.01	DDT-p,p'	0.01
DEF (Tribufos)	0.01	Deltamethrin	0.01	Demeton	0.02	Demeton-s-methyl	0.02
Demeton-s-methyl sulfone	0.02	Desmedipham	0.01	Diallate	0.01	Diazinon	0.01
Diazoxon (Diazinon OA)	0.01	Dicamba	0.04	Dichlobenil	0.01	Dichlofenthion	0.01
Dichlofluanid	0.01	Dichlorvos	0.01	Diclobutrazol	0.01	Diclofop	0.01

Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2026-06-04

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Diclofop-methyl	0.01	Dicloran	0.04	Dicofol o,p	0.02	Dicofol-p,p	0.02
Dicrotophos	0.01	Dieldrin	0.01	Diethofencarb	0.01	Diethyltoluamide (DEET)	0.01
Difenoconazole	0.01	Diflubenzuron	0.01	Diflufenzopyr	0.01	Dimethenamid	0.01
Dimethoate	0.01	Dimethomorph	0.01	Diniconazole	0.01	Dinocap	0.01
Dinoseb	0.01	Dinotefuran	0.01	Dioxathion	0.01	Diphenamid	0.01
Diphenylamine	0.10	Disulfoton	0.02	Disulfoton-sulfone	0.01	Disulfoton-sulfoxide	0.01
Dithianon	0.01	Dithiopyr	0.01	Diuron	0.01	Diuron metabolite (DCPMU)	0.01
DNOC (Dinitrocresol)	0.01	Edifenphos	0.01	Endosulfan I (alpha)	0.02	Endosulfan II (beta)	0.02
Endosulfan sulfate	0.01	Endrin	0.02	Endrin Aldehyde	0.02	EPN	0.01
EPTC	0.01	Esfenvalerate	0.02	Etaconazole	0.01	Ethaboxam	0.01
Ethalfuralin	0.01	Ethiofencarb	0.01	Ethion	0.01	Ethirimol	0.01
Ethofumesate	0.01	Ethoprophos	0.01	Ethoxyquin	0.02	Etofenprox	0.01
Etoxazole	0.01	Etridiazole	0.01	Etrimfos	0.01	Famoxadone	0.02
Famphur	0.01	Fenamidone	0.01	Fenamiphos	0.01	Fenamiphos-sulfone	0.01
Fenamiphos-sulfoxide	0.01	Fenanimol	0.01	Fenazaquin	0.01	Fenbuconazole	0.01
Fenbutatin oxide	0.01	Fenchlorphos	0.01	Fenchlorphos-oxon	0.01	Fenhexamid	0.01
Fenitrothion	0.01	Fenobucarb	0.01	Fenoxaprop-p-ethyl	0.005	Fenoxycarb	0.01
Fenpropathrin	0.01	Fenpyroximate	0.01	Fenson	0.02	Fensulfothion	0.01
Fenthion	0.01	Fenuron	0.01	Fipronil	0.01	Fonicamid	0.01
Fluazifop	0.01	Fluazinam	0.01	Fluchloralin	0.01	Flucythrinate	0.03
Fludioxonil	0.01	Flufenacet	0.01	Flumetsulam	0.01	Flumioxazin	0.01
Fluometuron	0.01	Fluopicolide	0.01	Fluopyram	0.01	Fluoxastrobin	0.01
Fluprimidol	0.01	Flupyradifurone	0.01	Fluridone	0.01	Fluroxypyr	0.01
Flusilazole	0.01	Fluthiacet-methyl	0.01	Flutianil	0.01	Flutolanil	0.01
Flutriafol	0.01	Fluxapyroxad	0.01	Folpet	0.01	Fomesafen	0.01
Fonofos	0.01	Foramsulfuron	0.01	Forchlorfenuron	0.01	Formetanate	0.01
Furathiocarb	0.01	Halosulfuron-methyl	0.01	Haloxypop	0.01	Heptachlor	0.01
Heptachlor epoxide	0.01	Hexachlorobenzene	0.01	Hexaconazole	0.01	Hexazinone	0.01
Hexythiazox	0.01	Hydroprene	0.01	Imazalil	0.01	Imazamox	0.01
Imazapic	0.01	Imazapyr	0.01	Imazaquin	0.01	Imazethapyr	0.01
Imidacloprid	0.01	Indaziflam	0.01	Indoxacarb	0.01	Iprobenfos	0.01
Iprodione	0.01	Isazophos	0.01	Isobenzan	0.01	Isocarbophos	0.01
Isodrin	0.01	Isofenphos	0.01	Isofenphos-methyl	0.01	Isofenphos-oxon	0.01
Isofetamid	0.01	Isoprocab	0.01	Isopropalin	0.01	Isoprothiolane	0.01

Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2026-06-04

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Isoproturon	0.01	Isoxaben	0.01	Isoxaflutole	0.01	Jasmolin I	0.01
Kresoxim-methyl	0.01	Lactofen	0.02	Lenacil	0.01	Linuron	0.01
Malaoxon	0.01	Malathion	0.01	Mandestrobin	0.01	Mandipropamid	0.01
MCPA	0.01	MCPB	0.01	MCPP (Mecoprop)	0.01	MCPP-P	0.01
Mecarbam	0.01	Mefentrifluconazole	0.01	Mepanipyrim	0.01	Mesosulfuron-methyl	0.01
Mesotrione	0.01	Metaxyl	0.01	Metaldehyde	0.01	Metconazole	0.01
Methacrifos	0.01	Methamidophos	0.01	Methidathion	0.01	Methiocarb	0.01
Methiocarb-sulfone	0.01	Methiocarb-sulfoxide	0.01	Methiozolin	0.01	Methomyl	0.01
Methoxychlor	0.01	Methoxyfenozide	0.01	Metobromuron	0.01	Metolacarb	0.01
Metolachlor	0.01	Metrafenone	0.01	Metribuzin	0.01	Metsulfuron-methyl	0.01
Mevinphos	0.01	Mexacarbate	0.01	MGK-264	0.01	Mirex	0.01
Molinate	0.01	Monocrotophos	0.01	Monolinuron	0.01	Myclobutanil	0.01
N-desethyl-pirimiphos-methyl	0.01	Naled	0.01	Napropamide	0.01	Neburon	0.01
Nicosulfuron	0.01	Nitrapyrin	0.02	Nitrofen	0.02	Norflurazon	0.01
Novaluron	0.01	Nuarimol	0.02	O-Phenylphenol	0.05	Omethoate	0.01
Oryzalin	0.01	Oxadiazon	0.01	Oxadixyl	0.01	Oxamyl	0.01
Oxamyl (sum)	0.01	Oxamyl-oxime	0.01	Oxathiapiroline	0.01	Oxychlordane	0.01
Oxydemeton-methyl	0.01	Oxyfluorfen	0.01	Oxythioquinox	0.02	Paclobutrazole	0.01
Paraoxon-ethyl	0.01	Paraoxon-methyl	0.01	Parathion-ethyl	0.01	Parathion-methyl	0.03
Penconazole	0.01	Pendimethalin	0.01	Penflufen	0.01	Pentachloroaniline	0.01
Pentachloroanisole	0.01	Pentachlorobenzene	0.01	Pentachlorophenol	0.01	Pentachlorothioanisole	0.03
Penthiopyrad	0.01	Permethrin	0.01	Perthane	0.01	Phenmedipham	0.01
Phenothrin	0.01	Phenthoate	0.01	Phorate	0.01	Phorate OA	0.01
Phorate-sulfone	0.01	Phorate-sulfoxide	0.01	Phosalone	0.01	Phosmet	0.01
Phosmet oxon	0.01	Phosphamidon	0.01	Phoxim	0.01	Picloram	0.01
Pinoxaden	0.01	Piperonyl butoxide	0.01	Pirimicarb	0.01	Pirimiphos-ethyl	0.01
Pirimiphos-methyl	0.01	Prallethrin	0.01	Primisulfuron-methyl	0.01	Prochloraz	0.01
Procymidone	0.01	Prodiamine	0.01	Profenofos	0.01	Profluralin	0.01
Promecarb	0.01	Prometon	0.01	Prometryn	0.01	Pronamide (Propyzamid)	0.01
Propachlor	0.01	Propamocarb	0.01	Propanil	0.01	Propargite	0.01
Propazine	0.01	Propetamphos	0.01	Propham	0.01	Propiconazole	0.01
Propoxur	0.01	Propoxycarbazone sodium	0.01	Prosulfuron	0.01	Prothioconazole	0.01
Prothiofos	0.01	Pydiflumetofen	0.01	Pymetrozine	0.01	Pyraclostrobin	0.01
Pyraflufen-ethyl	0.01	Pyrazophos	0.01	Pyrethrins (total)	0.01	Pyridaben	0.01

Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2026-06-04

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Pyridate	0.01	Pyrifluquinazon	0.01	Pyrimethanil	0.01	Pyriproxyfen	0.01
Pyroxasulfone	0.01	Pyroxsulam	0.01	Quinalphos	0.01	Quinclorac	0.01
Quinoxifen	0.01	Quintozene (PCNB)	0.01	Quizalofop	0.01	Resmethrin	0.01
Rimsulfuron	0.01	Rotenone	0.01	S-421	0.01	Saflufenacil	0.01
Sebuthylazine	0.01	Sedaxane	0.01	Sethoxydim	0.01	Siduron	0.01
Simazine	0.01	Simetryn	0.01	Spinetoram	0.01	Spinosad	0.01
Spirodiclofen	0.01	Spiromesifen	0.01	Spirotetramat	0.01	Spirotetramat enol	0.01
Spirotetramat (sum)	0.01	Spiroxamine	0.01	Sulfallate	0.01	Sulfentrazone	0.03
Sulfometuron-methyl	0.01	Sulfosulfuron	0.01	Sulfotep	0.01	Sulfoxaflor	0.01
Sulprofos	0.01	Tau-fluvalinate	0.01	Tebuconazole	0.01	Tebufenozide	0.01
Tebuthiuron	0.01	Tecnazene	0.01	Tefluthrin	0.01	Tembotrione	0.01
Terbacil	0.04	Terbufos	0.01	Terbufos-sulfone	0.01	Terbufos-sulfoxide	0.01
Terbutylazine	0.01	Terbutryn	0.01	Tetrachlorvinphos	0.01	Tetraconazole	0.01
Tetradifon	0.01	Tetramethrin	0.01	Tetrasul	0.01	Thiabendazol 5 hydroxy	0.01
Thiabendazole	0.01	Thiacloprid	0.01	Thiamethoxam	0.01	Thifensulfuron-methyl	0.01
Thiobencarb	0.01	Thiodicarb	0.01	Thiometon	0.01	Thionazin	0.01
Thiophanate-methyl	0.01	Thiophanate-methyl (sum)	0.01	Tolclofos-methyl	0.01	Tolfenpyrad	0.01
Tolyfluanid	0.01	Topramezone	0.01	Tralkoxydim	0.01	Triadimefon	0.01
Triadimenol	0.01	Triallate	0.01	Triasulfuron	0.01	Triazophos	0.01
Tribenuron-methyl	0.01	Trichlorfon (Metrifonate)	0.01	Triclopyr	0.01	Trifloxystrobin	0.01
Trifloxysulfuron	0.01	Triflumizole	0.01	Trifluralin	0.01	Triflusulfuron-methyl	0.01
Triforine	0.01	Trinexapac (free acid)	0.01	Trinexapac-ethyl	0.01	Triticonazole	0.01
Vinclozolin	0.01	Zoxamide	0.01				