



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Organixx
297 Kingsbury Grade, Suite 1043 Mail Box 4470
Stateline, NV 89449-4470
USA

Sample Information

ARL ID: 655012
Date Received: 1/24/2023
Date Tested: 2/7/2023
Description: Colon & Lymphatic Cleanse
Lot#: 22972

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	< 0.001	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.019	ppm	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.005	ppm	1
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.212	ppm	1
Gluten Allergens (as Gliadin)	2.055	2.5	≤ 2.5	< 2.5	ppm	1
Soy Allergens	ELISA	2.5	≤ 2.5	< 2.5	ppm	1
Glyphosate (HPLC)	ARL 2.073	0.4	Record Only	< 0.4	%	1

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

Form: arlcoa031201a Report: 655012

Printed on: 2/8/2023 10:08:30 AM

experience • professionalism • value

Released by: Jacob Teller

Date Released: 2/8/2023



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Organixx
297 Kingsbury Grade, Suite 1043 Mail Box 4470
Stateline, NV 89449-4470
USA

Sample Information

ARL ID: 673292
Date Received: 4/20/2023
Date Tested: 5/3/2023
Description: Colon & Lymphatic Cleanse
Lot#: 22972

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Caffeine	ARL 2.013	0.001	Record Only	0.097	%	1

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

Form: arlcoa031201a Report: 673292

experience • professionalism • value

Released by: Spencer Ashby

Printed on: 5/4/2023 7:13:42 AM

Date Released: 5/4/2023

This Certificate of Analysis represents data only for the sample provided. It does not constitute a guarantee of quality for the entire production lot.

Page 1 of 1



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-001114/D002.R000
Report Date: 02/01/2023
Purchase Order:
Received: 01/26/23 10:34 AM



Customer: Analytical Resource Lab
520 South 850 East, STE B3
Lehi Utah 84043
United States of America (USA)

Sample ID: 655016: Colon & Lymphatic Cleanse Lot: 22972

Sample Matrix: Supplement

Laboratory ID: 23-001114-0001-00

Evidence of Cooling: No

Temp: 16.6 °C

Relinquished by: Fedex

Sample Results

Pesticides

Multi-Residue Pesticide Profile

Analyte	Result	Units	Analyzed	Method	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes	mg/kg	01/31/23	AOAC 2007.01 & EN 15662 (mod) ^P	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-001114/D002.R000
 Report Date: 02/01/2023
 Purchase Order:
 Received: 01/26/23 10:34 AM



P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
1, NAA	0.01
2,4,5-T	0.01
2,4,5-TP	0.01
2,4-D	0.01
2,4-DB	0.01
2,4-DP (Dichlorprop)	0.01
Abamectin (Avermectin)	0.01
Acephate	0.02
Acequinocyl	0.01
Acetamiprid	0.01
Acetochlor	0.02
Acifluorfen	0.01
Acrinathrin	0.01
Alachlor	0.02
Aldicarb	0.01
Aldicarb sulfone (Aldoxycarb)	0.01
Aldicarb-sulfoxide	0.01
Aldrin	0.01
Ametoctradin	0.01
Ametryn	0.01
Aminocyclopyrachlor	0.01
Anilazine	0.03
Aspon	0.01
Asulam	0.01
Atrazine	0.01
Atrazine-desethyl	0.01
Azinphos-ethyl	0.01
Azinphos-methyl	0.01
Azoxystrobin	0.01
Benalaxyl	0.01
Bendiocarb	0.01
Benfluralin	0.01
Benoxacor	0.01
Bensulide	0.01
Bentazon	0.01
Benzovindiflupyr	0.01
BHC alpha isomer	0.01
BHC beta isomer	0.01
BHC delta isomer	0.01
Bifenazate	0.01
Bifenox	0.01
Bifenthrin	0.01
Binapacryl	0.04
Bioresmethrin	0.01
Bitertanol	0.02
Boscalid	0.01
Broflanilide	0.01
Bromacil	0.02
Bromophos-methyl	0.01
Bromophos-ethyl	0.02
Bromopropylate	0.01
Bromoxynil	0.01
Bromuconazole	0.01
Bupirimate	0.01

Analyte	LOQ (mg/kg)
Buprofezin	0.01
Butachlor	0.01
Butoxycarb	0.01
Butralin	0.02
Butylate	0.01
Cadusafos	0.01
Captafol	0.1
Captan	0.02
Carbaryl	0.01
Carbendazim	0.01
Carbofuran	0.01
Carbofuran, 3-hydroxy	0.01
Carbophenothion	0.01
Carbophenothion methyl	0.01
Carboxin	0.01
Carfentrazone-ethyl	0.01
Chlorantraniliprole	0.01
Chlordane, cis-	0.01
Chlordane, trans-	0.01
Chlordimeform	0.01
Chlorfenapyr	0.02
Chlorfenson (Ovex)	0.01
Chlorfenvinphos	0.01
Chlorimuron-ethyl	0.01
Chlornitrofen (CNP)	0.02
Chlorobenzilate	0.01
Chloroneb	0.01
Chlorothalonil	0.04
Chlorpropham (CIPC)	0.01
Chlorpyrifos (ethyl)	0.01
Chlorpyrifos-methyl	0.01
Chlorsulfuron	0.01
Chlorthal-dimethyl (Dacthal)	0.01
Chlorthion	0.02
Chlorthiophos	0.01
Clethodim	0.01
Clethodim sulfone	0.01
Clethodim sulfoxide	0.01
Clofentezine	0.01
Clomazone	0.01
Clopyralid	0.01
Clothianidin	0.01
Coumaphos	0.01
Crotoxyphos	0.01
Cyanazine	0.01
Cyanofenphos	0.01
Cyanophos	0.04
Cyantraniliprole	0.01
Cyazofamid	0.01
Cycloate	0.01
Cycloxydim	0.01
Cyfluthrin	0.03
Cyhalothrin, lambda	0.01
Cymoxanil	0.01

Analyte	LOQ (mg/kg)
Cypermethrin	0.01
Cyprodinil	0.01
Cyromazine	0.01
DCPMU	0.01
DDD, o,p'-	0.01
DDD, p,p'-	0.01
DDE, o,p'-	0.01
DDE, p,p'-	0.01
DDT, o,p'-	0.01
DDT, p,p'-	0.01
DEF (Tribufos)	0.01
Deltamethrin	0.01
Demeton-S	0.02
Demeton-S methyl-sulfone	0.02
Demeton-s-methyl	0.02
Desmedipham	0.01
Diallate	0.01
Diazinon	0.01
Diazoxon	0.01
Dicamba (Banvel)	0.01
Dichlobenil	0.01
Dichlofenthion	0.01
Dichlofluanid	0.01
Dichlorobenzamide	0.01
Dichlorvos	0.01
Diclobutrazol	0.01
Diclofop (acid)	0.01
Diclofop-methyl	0.01
Dicloran	0.04
Dicofol, p,p'-/o,p'-	0.02
Dicrotophos	0.01
Dieldrin	0.01
Diethofencarb	0.01
Diethyltoluamide (DEET)	0.01
Difenoconazole	0.01
Diflubenzuron	0.01
Diflufenzopyr	0.01
Dimethenamid	0.01
Dimethoate	0.01
Dimethomorph	0.01
Diniconazole	0.01
Dinocap	0.01
Dinoseb (Dinitro)	0.01
Dinotefuran	0.01
Dioxathion	0.01
Diphenamid	0.01
Diphenylamine (DPA)	0.01
Disulfoton	0.02
Disulfoton sulfone	0.01
Disulfoton sulfoxide	0.01
Dithianon	0.01
Dithiopyr	0.01
Diuron	0.01
DNOC	0.01

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.


P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
Edifenphos	0.01
Endosulfan (α isomer)	0.02
Endosulfan (β isomer)	0.02
Endosulfan sulfate	0.01
Endrin	0.02
Endrin aldehyde	0.02
EPN	0.01
EPTC	0.01
Esfenvalerate/Fenvalerate	0.02
Etaconazole	0.01
Ethaboxam	0.01
Ethalfuralin	0.01
Ethiofencarb	0.01
Ethion	0.01
Ethirimol	0.01
Ethofumesate	0.01
Ethoprophos	0.01
Ethoxyquin	0.01
Etofenprox	0.01
Etoxazole	0.01
Etridiazole	0.01
Etrimfos	0.01
Famoxadone	0.02
Famphur	0.01
Fenamidone	0.01
Fenamiphos	0.01
Fenamiphos Sulfone	0.01
Fenamiphos Sulfoxide	0.01
Fenarimol	0.01
Fenazaquin	0.01
Fenbuconazole	0.01
Fenbutatin oxide	0.01
Fenchlorphos	0.01
Fenhexamid	0.01
Fenitrothion	0.01
Fenobucarb (Baycarb)	0.01
Fenoxaprop-P-Ethyl	0.01
Fenoxycarb	0.01
Fenproprathrin	0.01
Fenpyroximate	0.01
Fenson	0.02
Fensulfthion	0.01
Fenthion	0.01
Fenuron	0.01
Fipronil	0.01
Flonicamid	0.01
Fluazifop	0.01
Fluazinam	0.01
Fluchloralin	0.01
Flucythrinate	0.03
Fludioxonil	0.01
Flufenacet	0.01
Flumioxazin	0.01
Fluometuron	0.01

Analyte	LOQ (mg/kg)
Fluopicolide	0.01
Fluopyram	0.01
Fluoxastrobin	0.01
Flupyradifurone	0.01
Fluprimidol	0.01
Fluridone	0.01
Fluroxypyr (free acid)	0.01
Flusilazol	0.01
Fluthiacet Methyl	0.01
Flutolanil	0.01
Flutriafol	0.01
Fluvalinate -tau	0.01
Fluxapyroxad	0.01
Folpet	0.02
Fomesafen	0.01
Fonofos	0.01
Foramsulfuron	0.01
Forchlorfenuron	0.01
Formetanate	0.01
Furathiocarb	0.01
Halosulfuron-methyl	0.01
Haloxyfop (free acid)	0.01
Heptachlor	0.01
Heptachlor epoxide	0.01
Hexachlorobenzene (HCB)	0.01
Hexaconazole	0.01
Hexazinone (Velpar)	0.01
Hexythiazox	0.01
Hydroprene	0.01
Imazalil	0.01
Imazamox	0.01
Imazapic	0.01
Imazapyr	0.01
Imazaquin	0.01
Imazethapyr	0.01
Imidacloprid	0.01
Imidoxone (Phosmet-Oxon)	0.01
Indaziflam	0.01
Indoxacarb	0.01
Iprobenfos	0.01
Iprodione	0.02
Isazophos	0.01
Isobenzan	0.01
Isocarbophos	0.01
Isodrin	0.01
Isofenphos	0.01
Isofenphos-methyl	0.01
Isofenphos-OA	0.01
Isoprocab	0.01
Isopropalin	0.01
Isoprothiolane	0.01
Isoproturon	0.01
Isoxaben	0.01
Isoxaflutole	0.01

Analyte	LOQ (mg/kg)
Kresoxim-methyl	0.01
Lactofen	0.02
Lenacil	0.01
Lindane	0.01
Linuron	0.01
Malaoxon (Malathion-o-analog)	0.01
Malathion	0.01
Mandipropamid	0.01
MCPA	0.01
MCPB	0.01
MCPP (Mecoprop)	0.01
Mecarbam	0.01
Mefenrillfluconazole	0.01
Mepanipyrim	0.01
Mesosulfuron Methyl	0.01
Mesotrione	0.01
Metalaxyl/Mefenoxam	0.01
Metconazole	0.01
Methacrifos	0.01
Methamidophos	0.01
Methidathion	0.01
Methiocarb	0.01
Methiocarb sulfone	0.01
Methiocarb sulfoxide	0.01
Methomyl	0.01
Methoxychlor	0.01
Methoxyfenozide	0.01
Metobromuron	0.01
Metolachlor	0.01
Metolcarb	0.01
Metrafenone	0.01
Metribuzin	0.01
Metsulfuron-methyl	0.01
Mevinphos	0.01
Mexacarbate	0.01
MGK-264	0.01
Mirex	0.01
Molinate	0.01
Monocrotophos	0.01
Monolinuron	0.01
Myclobutanil	0.01
Naled	0.01
Napropamide	0.01
Neburon	0.01
Nicosulfuron	0.01
Nitrapyrin	0.02
Nitrofen	0.02
Norflurazon	0.01
Novaluron	0.01
Nuarimol	0.02
Omethoate	0.01
O-Phenylphenol	0.01
Oryzalin	0.01
Oxadiazon	0.01

 LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Page 2 of 3

Updated: 12.29.2022



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-001114/D002.R000
Report Date: 02/01/2023
Purchase Order:
Received: 01/26/23 10:34 AM



P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
Oxadixyl	0.01
Oxamyl	0.01
Oxamyl-oxime	0.01
Oxathiapiprolin	0.01
Oxychlorane	0.01
Oxydemeton-Methyl	0.01
Oxyfluorfen	0.01
Oxythioquinox	0.02
Pacllobutrazol	0.01
Paraoxon-ethyl	0.01
Paraoxon-methyl	0.01
Parathion-ethyl	0.01
Parathion-methyl	0.03
PCP (Pentachlorophenol)	0.01
Penconazole	0.01
Pendimethalin	0.01
Penflufen	0.01
Pentachloroaniline (PCA)	0.01
Pentachloroanisole	0.01
Pentachlorobenzene (PCB)	0.01
Pentachlorothioanisole (PCTA)	0.03
Penthiopyrad	0.01
Permethrin	0.01
Perthane	0.01
Phenmedipham	0.01
Phenothrin	0.01
Phenthoate	0.01
Phorate	0.01
Phorate OA	0.01
Phorate Sulfone	0.01
Phorate Sulfoxide	0.01
Phosalone	0.01
Phosmet	0.01
Phosphamidon	0.01
Phoxim	0.01
Phthalimide	0.02
Picloram	0.01
Pinoxaden	0.01
Piperonyl Butoxide	0.01
Pirimicarb	0.01
Pirimiphos-Ethyl	0.01
Pirimiphos-Methyl	0.01
Pirimisulfuron-Methyl	0.01
Prallethrin	0.01
Prochloraz	0.01
Procymidone	0.01
Prodiamine	0.01
Profenofos	0.01
Profluralin	0.01
Promecarb	0.01
Prometon	0.01
Prometryne	0.01
Pronamide (Propyzamide)	0.01
Propachlor	0.01

Analyte	LOQ (mg/kg)
Propamocarb	0.01
Propanil	0.01
Propargite	0.01
Propazine	0.01
Propetamphos	0.01
Propam	0.01
Propiconazole	0.01
Propoxur	0.01
Propoxycarbazone sodium	0.01
Prosulfuron	0.01
Prothioconazole	0.01
Prothiofos	0.01
Pydiflumetofen	0.01
Pymetrozine	0.01
Pyraclostrobin	0.01
Pyraflufen-ethyl	0.01
Pyrazophos	0.01
Pyrethrins	0.01
Pyridaben	0.01
Pyridate	0.01
Pyrifluquinazon	0.01
Pyrimethanil	0.01
Pyriproxifen	0.01
Pyroxasulfone	0.01
Pyrosulam	0.01
Quinalphos	0.01
Quinclorac	0.01
Quinoxifen	0.01
Quintozene(PCNB)	0.01
Quizalofop (free acid)	0.01
Resmethrin	0.01
Rimsulfuron	0.01
Rotenone	0.01
S-421	0.01
Saflufenacil	0.01
Sebutylazine	0.01
Sedaxane	0.01
Sethoxydim	0.01
Simazine	0.01
Simetryn	0.01
Spinetoram	0.01
Spinosad (α, β isomers)	0.01
Spirodiclofen	0.01
Spiromesifen	0.01
Spirotetramat	0.01
Spirotetramat-enol	0.01
Spiroxamine	0.01
Sulfallate	0.01
Sulfentrazone	0.03
Sulfometuron-methyl	0.01
Sulfosulfuron	0.01
Sulfotep	0.01
Sulfoxaflor	0.01
Sulprofos	0.01

Analyte	LOQ (mg/kg)
Tebuconazole	0.01
Tebufenozide	0.01
Tebuthiuron	0.01
Tecnazene	0.01
Tefluthrin	0.01
Tembotrione	0.01
Terbacil	0.04
Terbufos	0.01
Terbufos sulfone	0.01
Terbufos sulfoxide	0.01
Terbutylazine	0.01
Terbutryn	0.01
Tertrachlorvinphos	0.01
Tetraconazole	0.01
Tetradifon	0.01
Tetramethrin	0.01
Tetrasul	0.01
Thiabendazole	0.01
Thiabendazole, 5-hydroxy	0.01
Thiacloprid	0.01
Thiamethoxam	0.01
Thifensulfuron-methyl	0.01
Thiobencarb (benthiocarb)	0.01
Thiodicarb	0.01
Thiometon	0.02
Thionazin	0.01
Thiophanate-methyl	0.01
Tolclofos-methyl	0.01
Tolfenpyrad	0.01
Tolyfluanid	0.01
Topramezone	0.01
Tralkoxydim	0.01
Triadimefon	0.01
Triadimenol	0.01
Tri-allate	0.01
Triasulfuron	0.01
Triazophos	0.01
Tribenuron-methyl	0.01
Trichlorfon	0.01
Triclopyr	0.02
Trifloxystrobin	0.01
Trifloxysulfuron -sodium	0.01
Triflumizole	0.01
Trifluralin	0.01
Triflurosulfuron-methyl	0.01
Triforin	0.01
Trinexapac (acid)	0.01
Trinexapac Ethyl	0.01
Triticonazole	0.01
Vinclozolin	0.01
Zoxamide	0.01

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.