



Certificate of Analysis

Client Information

Organixx
297 Kingsbury Grade, Suite 1043 Mail Box 4470
Stateline, NV 89449-4470
USA

Sample Information

Sample ID: 866450-1
Date Received: 11/11/2025
Description: Menopause Balance + Glow
Lot#: 2025-27900

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	0.180	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.074	ppm	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.008	ppm	1
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.342	ppm	1
Soy Allergens (ELISA)	ELISA	2.5	< 2.5	<2.5	ppm	1
Gluten Allergens	ELISA	5	Record Only	43	ppm	1
Glyphosate (HPLC)	ARL 2.073	0.4	< 1	< 0.4	%	1

Notes:

1. Revision: Updated Glyphosate UOM and recalculated Results

†Method Detection Limit (MDL):

In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.



Released by: Taylor Wooten
Date Released: 2/12/2026



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 25-013798/0002.R000
Report Date: 11/20/2025
Purchase Order:
Received: 11/13/25 09:40 AM

Customer: Analytical Resource Lab
 520 South 850 East, STE B3
 Lehi Utah 84043
 United States of America (USA)

Sample ID: 866452: Menopause Balance + Glow

Sample Matrix: Supplement, powder capsules

Laboratory ID: 25-013798-0001-00

Evidence of Cooling: No

Temp: 20.3 °C

Lot #: 2025-27900

Sample Results

Pesticides

P2220 Multi-Residue Pesticide Profile

Analyte	Result	Units	LOQ	Analyzed	Method	Notes
Procymidone	0.033	mg/kg	0.010	11/20/25	AOAC 2007.01 ^b	
Haloxypop	0.049	mg/kg	0.010	11/20/25	AOAC 2007.01 ^b	

All compounds on the attached sheet were found to be <LOQ except those listed

Abbreviations

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

mg/kg = Milligram per kilogram = parts per million (ppm)

Approved Signatory

Derrick Tanner
 General Manager

Residue List

Method AOAC 2007.01
Units mg/kg
Analyzed 2025-11-20

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
1-Naphthaleneacetic acid	0.04	2,4-D	0.01	2,4-DB	0.01	2,4-DP	0.01
2,4,5-T	0.01	2,4,5-TP	0.01	2,6-Dichlorobenzamide	0.01	Abamectin (Avermectin)	0.01
Acephate	0.02	Acequinocyl	0.01	Acetamidrid	0.01	Acetochlor	0.02
Acibenzolar	0.01	Acibenzolar-s-methyl	0.01	Acifluorfen	0.01	Acrinathrin	0.01
Afidopyropen	0.01	Alachlor	0.02	Aldicarb	0.01	Aldicarb-sulfone	0.01
Aldicarb-sulfoxide	0.01	Aldrin	0.01	Ametoctradin	0.01	Ametryn	0.01
Aminocyclopyrachlor	0.01	Anilazine	0.03	Aspon	0.01	Asulam	0.01
Atrazine	0.01	Atrazine-desethyl	0.01	Azadirachtin	0.01	Azinphos-ethyl	0.01
Azinphos-methyl	0.01	Azoxystrobin	0.01	Benalaxyl	0.01	Bendiocarb	0.01
Benfluralin	0.01	Benoxacor	0.01	Bensulide	0.01	Bentazone	0.01
Benzovindiflupyr	0.01	BHC (α, β, γ, δ isomers)	0.01	Bifenazate	0.01	Bifenox	0.01
Bifenthrin	0.01	Binapacryl	0.04	Bioresmethrin	0.01	Bispyribac-sodium	0.01
Bitertanol	0.02	Boscalid	0.01	Broflanilide	0.01	Bromacil	0.02
Bromophos-ethyl	0.02	Bromophos-methyl	0.01	Bromopropylate	0.01	Bromoxynil	0.01
Bromuconazole	0.01	Bupirimate	0.01	Buprofezin	0.01	Butachlor	0.01
Butoxycarboxim	0.01	Butralin	0.02	Butylate	0.01	Cadusafos	0.01
Captafol	0.10	Captan	0.02	Carbaryl	0.01	Carbendazim	0.01
Carbofuran	0.01	Carbofuran-3-hydroxy	0.01	Carbophenothion	0.01	Carbophenothion-methyl	0.01
Carboxin	0.01	Carfentrazone-ethyl	0.01	Chlorantraniliprole	0.01	Chlordane	0.01
Chlordimeform	0.01	Chlorfenapyr	0.02	Chlorfenson	0.01	Chlorfenvinphos	0.01
Chlorimuron-ethyl	0.01	Chlornitrofen	0.02	Chlorobenzilate	0.01	Chloroneb	0.01
Chlorothalonil	0.04	Chlorpropham (CIPC)	0.01	Chlorpyrifos-ethyl	0.01	Chlorpyrifos-methyl	0.01
Chlorsulfuron	0.01	Chlorthal-dimethyl (Dacthal, D)	0.01	Chlorthion	0.02	Chlorthiophos	0.01
Cinerin I	0.01	Clethodim	0.01	Clethodim-sulfone	0.01	Clethodim-sulfoxide	0.01
Clofentezine	0.01	Clomazone	0.01	Clopyralid	0.01	Clothianidin	0.01
Coumaphos	0.01	Crotoxyphos	0.01	Cyanazine	0.01	Cyanofenphos	0.01
Cyanophos	0.04	Cyantraniliprole	0.01	Cyazofamid	0.01	Cycloate	0.01
Cycloxydim	0.01	Cyflufenamid	0.01	Cyflumetofen	0.01	Cyfluthrin (sum)	0.02
Cyhalothrin, lambda	0.01	Cymoxanil	0.01	Cypermethrin (sum)	0.02	Cyprodinil	0.01
Cyromazine	0.01	DDD-o,p'	0.01	DDD-p,p'	0.01	DDE-o,p'	0.01
DDE-p,p'	0.01	DDT-o,p'	0.01	DDT-p,p'	0.01	DEF (Tribufos)	0.01
Deltamethrin	0.01	Demeton	0.02	Demeton-s-methyl	0.02	Demeton-s-methyl sulfone	0.02
Desmedipham	0.01	Diallate	0.01	Diazinon	0.01	Diazoxon (Diazinon OA)	0.01
Dicamba	0.04	Dichlobenil	0.01	Dichlofenthion	0.01	Dichlofluanid	0.01
Dichlorvos	0.01	Diclobutrazol	0.01	Diclofop	0.01	Diclofop-methyl	0.01



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report number: 25-U13798/DOU2.R000
Report Date: 11/20/2025
Purchase Order:
Received: 11/13/25 09:40 AM

Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2025-11-20

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Dicloran	0.04	Dicofol o,p	0.02	Dicofol-p,p	0.02	Dicrotophos	0.01
Dieldrin	0.01	Diethofencarb	0.01	Diethyltoluamide (DEET)	0.01	Difenoconazole	0.01
Diflubenzuron	0.01	Diflufenzopyr	0.01	Dimethenamid	0.01	Dimethoate	0.01
Dimethomorph	0.01	Diniconazole	0.01	Dinocap	0.01	Dinoseb	0.01
Dinotefuran	0.01	Dioxathion	0.01	Diphenamid	0.01	Diphenylamine	0.10
Disulfoton	0.02	Disulfoton-sulfone	0.01	Disulfoton-sulfoxide	0.01	Dithianon	0.01
Dithiopyr	0.01	Diuron	0.01	Diuron metabolite (DCPMU)	0.01	DNOC (Dinitroresol)	0.01
Edifenphos	0.01	Endosulfan I (alpha)	0.02	Endosulfan II (beta)	0.02	Endosulfan sulfate	0.01
Endrin	0.02	Endrin Aldehyde	0.02	EPN	0.01	EPTC	0.01
Esfenvalerate	0.02	Etaconazole	0.01	Ethaboxam	0.01	Ethalfuralin	0.01
Ethiofencarb	0.01	Ethion	0.01	Ethirimol	0.01	Ethofumesate	0.01
Ethoprophos	0.01	Ethoxyquin	0.02	Etofenprox	0.01	Etoxazole	0.01
Etridiazole	0.01	Etrimfos	0.01	Famoxadone	0.02	Famphur	0.01
Fenamidone	0.01	Fenamiphos	0.01	Fenamiphos-sulfone	0.01	Fenamiphos-sulfoxide	0.01
Fenarimol	0.01	Fenazaquin	0.01	Fenbuconazole	0.01	Fenbutatin oxide	0.01
Fenchlorphos	0.01	Fenchlorphos-oxon	0.01	Fenhexamid	0.01	Fenitrothion	0.01
Fenobucarb	0.01	Fenoxaprop-p-ethyl	0.005	Fenoxycarb	0.01	Fenpropathrin	0.01
Fenpyroximate	0.01	Fenson	0.02	Fensulfothion	0.01	Fenthion	0.01
Fenuron	0.01	Fipronil	0.01	Flonicamid	0.01	Fluazifop	0.01
Fluazinam	0.01	Fluchloralin	0.01	Flucythrinate	0.03	Fludioxonil	0.01
Flufenacet	0.01	Flumetsulam	0.01	Flumioxazin	0.01	Fluometuron	0.01
Fluopicolide	0.01	Fluopyram	0.01	Fluoxastrobin	0.01	Fluprimidol	0.01
Flupyradifurone	0.01	Fluridone	0.01	Fluroxypyr	0.01	Flusilazole	0.01
Fluthiacet-methyl	0.01	Flutianil	0.01	Flutolanil	0.01	Flutriafol	0.01
Fluxapyroxad	0.01	Folpet	0.01	Fomesafen	0.01	Fonofos	0.01
Foramsulfuron	0.01	Forchlorfenuron	0.01	Formetanate	0.01	Furathiocarb	0.01
Halosulfuron-methyl	0.01	Haloxypol	0.01	Heptachlor	0.01	Heptachlor epoxide	0.01
Hexachlorobenzene	0.01	Hexaconazole	0.01	Hexazinone	0.01	Hexythiazox	0.01
Hydroprone	0.01	Imazalil	0.01	Imazamox	0.01	Imazapic	0.01
Imazapyr	0.01	Imazaquin	0.01	Imazethapyr	0.01	Imidacloprid	0.01
Indaziflam	0.01	Indoxacarb	0.01	Iprobenfos	0.01	Iprodione	0.01
Isazophos	0.01	Isobenzan	0.01	Isocarboxiprop	0.01	Isodrin	0.01
Isofenphos	0.01	Isofenphos-methyl	0.01	Isofenphos-oxon	0.01	Isofetamid	0.01
Isoprocab	0.01	Isopropalin	0.01	Isoprothiolane	0.01	Isoproturon	0.01

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2025-11-20

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Isoxaben	0.01	Isoxaflutole	0.01	Jasmolin I	0.01	Kresoxim-methyl	0.01
Lactofen	0.02	Lenacil	0.01	Linuron	0.01	Malaoxon	0.01
Malathion	0.01	Mandestrobin	0.01	Mandipropamid	0.01	MCPA	0.01
MCPB	0.01	MCPP (Mecoprop)	0.01	MCPP-P	0.01	Mecarbam	0.01
Mefentrifluconazole	0.01	Mepanipyrim	0.01	Mesosulfuron-methyl	0.01	Mesotrione	0.01
Metalaxyl	0.01	Metaldehyde	0.01	Metconazole	0.01	Methacrifos	0.01
Methamidophos	0.01	Methidathion	0.01	Methiocarb	0.01	Methiocarb-sulfone	0.01
Methiocarb-sulfoxide	0.01	Methiozolin	0.01	Methomyl	0.01	Methoxychlor	0.01
Methoxyfenozide	0.01	Metobromuron	0.01	Metolacarb	0.01	Metolachlor	0.01
Metrafenone	0.01	Metribuzin	0.01	Metsulfuron-methyl	0.01	Mevinphos	0.01
Mexacarbate	0.01	MGK-264	0.01	Mirex	0.01	Molinate	0.01
Monocrotophos	0.01	Monolinuron	0.01	Myclobutanil	0.01	N-desethyl-pirimiphos-methyl	0.01
Naled	0.01	Napropamide	0.01	Neburon	0.01	Nicosulfuron	0.01
Nitrapyrin	0.02	Nitrofen	0.02	Norflurazon	0.01	Novaluron	0.01
Nuarimol	0.02	O-Phenylphenol	0.05	Omethoate	0.01	Oryzalin	0.01
Oxadiazon	0.01	Oxadixyl	0.01	Oxamyl	0.01	Oxamyl-oxime	0.01
Oxathiapiprolin	0.01	Oxychlorane	0.01	Oxydemeton-methyl	0.01	Oxyfluorfen	0.01
Oxythioquinox	0.02	Paclobutrazole	0.01	Paraoxon-ethyl	0.01	Paraoxon-methyl	0.01
Parathion-ethyl	0.01	Parathion-methyl	0.03	Penconazole	0.01	Pendimethalin	0.01
Penflufen	0.01	Pentachloroaniline	0.01	Pentachloroanisole	0.01	Pentachlorobenzene	0.01
Pentachlorophenol	0.01	Pentachlorothioanisole	0.03	Penthiopyrad	0.01	Permethrin	0.01
Perthane	0.01	Phenmedipham	0.01	Phenothrin	0.01	Phenthoate	0.01
Phorate	0.01	Phorate OA	0.01	Phorate-sulfone	0.01	Phorate-sulfoxide	0.01
Phosalone	0.01	Phosmet	0.01	Phosmet oxon	0.01	Phosphamidon	0.01
Phoxim	0.01	Picloram	0.01	Pinoxaden	0.01	Piperonyl butoxide	0.01
Pirimicarb	0.01	Pirimiphos-ethyl	0.01	Pirimiphos-methyl	0.01	Prallethrin	0.01
Primisulfuron-methyl	0.01	Prochloraz	0.01	Procymidone	0.01	Prodiamine	0.01
Profenofos	0.01	Profluralin	0.01	Promecarb	0.01	Prometon	0.01
Prometryn	0.01	Pronamide (Propyzamid)	0.01	Propachlor	0.01	Propamocarb	0.01
Propanil	0.01	Propargite	0.01	Propazine	0.01	Propetamphos	0.01
Propham	0.01	Propiconazole	0.01	Propoxur	0.01	Propoxycarbazone sodium	0.01
Prosulfuron	0.01	Prothioconazole	0.01	Prothiofos	0.01	Pydiflumetofen	0.01
Pymetrozine	0.01	Pyraclostrobin	0.01	Pyraflufen-ethyl	0.01	Pyrazophos	0.01
Pyrethrins (total)	0.01	Pyridaben	0.01	Pyridate	0.01	Pyrifluquinazon	0.01

Residue List

Method AOAC 2007.01

Units mg/kg

Analyzed 2025-11-20

Parameter	LOQ	Parameter	LOQ	Parameter	LOQ	Parameter	LOQ
Pyrimethanil	0.01	Pyriproxyfen	0.01	Pyroxasulfone	0.01	Pyroxsulam	0.01
Quinalphos	0.01	Quinclorac	0.01	Quinoxifen	0.01	Quintozene (PCNB)	0.01
Quizalofop	0.01	Resmethrin	0.01	Rimsulfuron	0.01	Rotenone	0.01
S-421	0.01	Saflufenacil	0.01	Sebuthylazine	0.01	Sedaxane	0.01
Sethoxydim	0.01	Siduron	0.01	Simazine	0.01	Simetryn	0.01
Spinetoram	0.01	Spinosad	0.01	Spirodiclofen	0.01	Spiromesifen	0.01
Spirotetramat	0.01	Spirotetramat enol	0.01	Spiroxamine	0.01	Sulfalate	0.01
Sulfentrazone	0.03	Sulfometuron-methyl	0.01	Sulfosulfuron	0.01	Sulfotep	0.01
Sulfoxaflor	0.01	Sulprofos	0.01	Tau-fluvalinate	0.01	Tebuconazole	0.01
Tebufenozide	0.01	Tebuthiuron	0.01	Tecnazene	0.01	Tefluthrin	0.01
Tembotrione	0.01	Terbacil	0.04	Terbufos	0.01	Terbufos-sulfone	0.01
Terbufos-sulfoxide	0.01	Terbutylazine	0.01	Terbutryn	0.01	Tetrachlorvinphos	0.01
Tetraconazole	0.01	Tetradifon	0.01	Tetramethrin	0.01	Tetrasul	0.01
Thiabendazol 5 hydroxy	0.01	Thiabendazole	0.01	Thiacloprid	0.01	Thiamethoxam	0.01
Thifensulfuron-methyl	0.01	Thiobencarb	0.01	Thiodicarb	0.01	Thiometon	0.02
Thionazin	0.01	Thiophanate-methyl	0.01	Tolclofos-methyl	0.01	Tolfenpyrad	0.01
Tolyfluanid	0.01	Topramezone	0.01	Tralkoxydim	0.01	Triadimefon	0.01
Triadimenol	0.01	Triallate	0.01	Triasulfuron	0.01	Triazophos	0.01
Tribenuron-methyl	0.01	Trichlorfon (Metrifonate)	0.01	Triclopyr	0.02	Trifloxystrobin	0.01
Trifloxysulfuron	0.01	Triflumizole	0.01	Trifluralin	0.01	Triflurosulfuron-methyl	0.01
Triforine	0.01	Trinexapac (free acid)	0.01	Trinexapac-ethyl	0.01	Triticonazole	0.01
Vinclozolin	0.01	Zoxamide	0.01				