



8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: Organic OrganiGreens v3
Sample ID: 850043769101
Lot No:
Location:
Received: 7/6/2023
Completed: 7/13/2023

Client: Kristi Foltz
Organixx
297 Kingsbury Grade Rd
Suite 1043, Mailbox 4470
Stateline, NV 89449
Lab No: 127593-01

Analysis	Result	Per Unit	Method
‡Arsenic	0.522	ppm	ICP-MS USP <730>
‡Cadmium	0.041	ppm	ICP-MS USP <730>
‡Mercury	0.004	ppm	ICP-MS USP <730>
‡Lead	0.117	ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Erikka Waldrep-Front Office Manager

Dated:

7/13/2023

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 7/13/2023 4:44:02 PM





Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Organixx
297 Kingsbury Grade, Suite 1043 Mail Box 4470
Stateline, NV 89449-4470
USA

Sample Information

ARL ID: 685840
Date Received: 7/3/2023
Date Tested: 7/14/2023
Description: Organic OrganiGreens

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Glyphosate (HPLC)	ARL 2.073	0.4	Record Only	< 0.4	%	1

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

Form: arlcoa031201a Report: 685840

experience • professionalism • value

Released by: Spencer Ashby

Printed on: 7/14/2023 2:40:13 PM

Date Released: 7/14/2023

This Certificate of Analysis represents data only for the sample provided. It does not constitute a guarantee of quality for the entire production lot.

Page 1 of 1



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-007999/D003.R000
Report Date: 07/14/2023
Purchase Order:
Received: 07/07/23 10:06 AM



Customer: Analytical Resource Lab
520 South 850 East, STE B3
Lehi Utah 84043
United States of America (USA)

Sample ID: 685842: Organic OrganiGreens

Sample Matrix: Powder

Laboratory ID: 23-007999-0001-00

Evidence of Cooling: No

Temp: 19.0

Relinquished by: fedex

Sample Results

Pesticides

Multi-Residue Pesticide Profile

Analyte	Result	Units	Analyzed	Method	Notes
Multi-Residue Pesticide Profile	< LOQ for all analytes	mg/kg	07/13/23	AOAC 2007.01 & EN 15662 (mod) ^p	

Abbreviations

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^p = ISO/IEC 17025:2017 accredited method.

Units of Measure

mg/kg = Milligram per kilogram = parts per million (ppm)

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-007999/D003.R000
Report Date: 07/14/2023
Purchase Order:
Received: 07/07/23 10:06 AM



P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
1, NAA	0.01
2,4,5-T	0.01
2,4,5-TP	0.01
2,4-D	0.01
2,4-DB	0.01
2,4-DP (Dichlorprop)	0.01
Abamectin (Avermectin)	0.01
Acephate	0.02
Acequinocyl	0.01
Acetamiprid	0.01
Acetochlor	0.02
Acifluorfen	0.01
Acrinathrin	0.01
Alachlor	0.02
Aldicarb	0.01
Aldicarb sulfone (Aldoxycarb)	0.01
Aldicarb-sulfoxide	0.01
Aldrin	0.01
Ametoctradin	0.01
Ametryn	0.01
Aminocyclopyrachlor	0.01
Anilazine	0.03
Aspon	0.01
Asulam	0.01
Atrazine	0.01
Atrazine-desethyl	0.01
Azinphos-ethyl	0.01
Azinphos-methyl	0.01
Azoxystrobin	0.01
Benalaxyl	0.01
Bendiocarb	0.01
Benfluralin	0.01
Benoxacor	0.01
Bensulide	0.01
Bentazon	0.01
Benzovindiflupyr	0.01
BHC alpha isomer	0.01
BHC beta isomer	0.01
BHC delta isomer	0.01
Bifenazate	0.01
Bifenox	0.01
Bifenthrin	0.01
Binapacryl	0.04
Bioresmethrin	0.01
Bitertanol	0.02
Boscalid	0.01
Broflanilide	0.01
Bromacil	0.02
Bromophos-methyl	0.01
Bromophos-ethyl	0.02
Bromopropylate	0.01
Bromoxynil	0.01
Bromuconazole	0.01
Bupirimate	0.01

Analyte	LOQ (mg/kg)
Buprofezin	0.01
Butachlor	0.01
Butoxycarb	0.01
Butralin	0.02
Butylate	0.01
Cadusafos	0.01
Captafol	0.1
Captan	0.02
Carbaryl	0.01
Carbendazim	0.01
Carbofuran	0.01
Carbofuran, 3-hydroxy	0.01
Carbophenothion	0.01
Carbophenothion methyl	0.01
Carboxin	0.01
Carfentrazone-ethyl	0.01
Chlorantraniliprole	0.01
Chlordane, cis-	0.01
Chlordane, trans-	0.01
Chlordimeform	0.01
Chlorfenapyr	0.02
Chlorfenson (Ovex)	0.01
Chlorfenvinphos	0.01
Chlorimuron-ethyl	0.01
Chlornitrofen (CNP)	0.02
Chlorobenzilate	0.01
Chloroneb	0.01
Chlorothalonil	0.04
Chlorpropham (CIPC)	0.01
Chlorpyrifos (ethyl)	0.01
Chlorpyrifos-methyl	0.01
Chlorsulfuron	0.01
Chlorthal-dimethyl (Dacthal)	0.01
Chlorthion	0.02
Chlorthiophos	0.01
Clethodim	0.01
Clethodim sulfone	0.01
Clethodim sulfoxide	0.01
Clofentezine	0.01
Clomazone	0.01
Clopyralid	0.01
Clothianidin	0.01
Coumaphos	0.01
Crotoxyphos	0.01
Cyanazine	0.01
Cyanofenphos	0.01
Cyanophos	0.04
Cyantraniliprole	0.01
Cyazofamid	0.01
Cycloate	0.01
Cycloxydim	0.01
Cyfluthrin	0.03
Cyhalothrin, lambda	0.01
Cymoxanil	0.01

Analyte	LOQ (mg/kg)
Cypermethrin	0.01
Cyprodinil	0.01
Cyromazine	0.01
DCPMU	0.01
DDD, o,p'-	0.01
DDD, p,p'-	0.01
DDE, o,p'-	0.01
DDE, p,p'-	0.01
DDT, o,p'-	0.01
DDT, p,p'-	0.01
DEF (Tribufos)	0.01
Deltamethrin	0.01
Demeton-S	0.02
Demeton-S methyl-sulfone	0.02
Demeton-s-methyl	0.02
Desmedipham	0.01
Diallate	0.01
Diazinon	0.01
Diazoxon	0.01
Dicamba (Banvel)	0.01
Dichlobenil	0.01
Dichlofenthion	0.01
Dichlofluanid	0.01
Dichlorobenzamide	0.01
Dichlorvos	0.01
Diclobutrazol	0.01
Diclofop (acid)	0.01
Diclofop-methyl	0.01
Dicloran	0.04
Dicofol, p,p'-/o,p'-	0.02
Dicrotophos	0.01
Dieldrin	0.01
Diethofencarb	0.01
Diethyltoluamide (DEET)	0.01
Difenoconazole	0.01
Diffubenzuron	0.01
Diffuzopyr	0.01
Dimethenamid	0.01
Dimethoate	0.01
Dimethomorph	0.01
Diniconazole	0.01
Dinocap	0.01
Dinoseb (Dinitro)	0.01
Dinotefuran	0.01
Dioxathion	0.01
Diphenamid	0.01
Diphenylamine (DPA)	0.01
Disulfoton	0.02
Disulfoton sulfone	0.01
Disulfoton sulfoxide	0.01
Dithianon	0.01
Dithiopyr	0.01
Diuron	0.01
DNOC	0.01

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.


P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
Edifenphos	0.01
Endosulfan (α isomer)	0.02
Endosulfan (β isomer)	0.02
Endosulfan sulfate	0.01
Endrin	0.02
Endrin aldehyde	0.02
EPN	0.01
EPTC	0.01
Esfenvalerate/Fenvalerate	0.02
Etaconazole	0.01
Ethaboxam	0.01
Ethalfuralin	0.01
Ethiofencarb	0.01
Ethion	0.01
Ethirimol	0.01
Ethofumesate	0.01
Ethoprophos	0.01
Ethoxyquin	0.01
Etofenprox	0.01
Etoxazole	0.01
Etridiazole	0.01
Etrimfos	0.01
Famoxadone	0.02
Famphur	0.01
Fenamidone	0.01
Fenamiphos	0.01
Fenamiphos Sulfone	0.01
Fenamiphos Sulfoxide	0.01
Fenarimol	0.01
Fenazaquin	0.01
Fenbuconazole	0.01
Fenbutatin oxide	0.01
Fenchlorphos	0.01
Fenhexamid	0.01
Fenitrothion	0.01
Fenobucarb (Baycarb)	0.01
Fenoxaprop-P-Ethyl	0.01
Fenoxycarb	0.01
Fenpropathrin	0.01
Fenpyroximate	0.01
Fenson	0.02
Fensulfthion	0.01
Fenthion	0.01
Fenuron	0.01
Fipronil	0.01
Flonicamid	0.01
Fluazifop	0.01
Fluazinam	0.01
Fluchloralin	0.01
Flucythrinate	0.03
Fludioxonil	0.01
Flufenacet	0.01
Flumioxazin	0.01
Fluometuron	0.01

Analyte	LOQ (mg/kg)
Fluopicolide	0.01
Fluopyram	0.01
Fluoxastrobin	0.01
Flupyradifurone	0.01
Fluprimidol	0.01
Fluridone	0.01
Fluroxypyr (free acid)	0.01
Flusilazol	0.01
Fluthiacet Methyl	0.01
Flutolanil	0.01
Flutriafol	0.01
Fluvalinate -tau	0.01
Fluxapyroxad	0.01
Folpet	0.02
Fomesafen	0.01
Fonofos	0.01
Foramsulfuron	0.01
Forchlorfenuron	0.01
Formetanate	0.01
Furathiocarb	0.01
Halosulfuron-methyl	0.01
Haloxyfop (free acid)	0.01
Heptachlor	0.01
Heptachlor epoxide	0.01
Hexachlorobenzene (HCB)	0.01
Hexaconazole	0.01
Hexazinone (Velpar)	0.01
Hexythiazox	0.01
Hydroprene	0.01
Imazalil	0.01
Imazamox	0.01
Imazapic	0.01
Imazapyr	0.01
Imazaquin	0.01
Imazethapyr	0.01
Imidacloprid	0.01
Imidoxone (Phosmet-Oxon)	0.01
Indaziflam	0.01
Indoxacarb	0.01
Iprobenfos	0.01
Iprodione	0.02
Isazophos	0.01
Isobenzan	0.01
Isocarbophos	0.01
Isodrin	0.01
Isofenphos	0.01
Isofenphos-methyl	0.01
Isofenphos-OA	0.01
Isoprocarb	0.01
Isopropalin	0.01
Isoprothiolane	0.01
Isoproturon	0.01
Isoxaben	0.01
Isoxaflutole	0.01

Analyte	LOQ (mg/kg)
Kresoxim-methyl	0.01
Lactofen	0.02
Lenacil	0.01
Lindane	0.01
Linuron	0.01
Malaoxon (Malathion-o-analog)	0.01
Malathion	0.01
Mandipropamid	0.01
MCPA	0.01
MCPB	0.01
MCPP (Mecoprop)	0.01
Mecarbam	0.01
Mefenrillfluconazole	0.01
Mepanipyrim	0.01
Mesosulfuron Methyl	0.01
Mesotrione	0.01
Metalaxyl/Mefenoxam	0.01
Metconazole	0.01
Methacrifos	0.01
Methamidophos	0.01
Methidathion	0.01
Methiocarb	0.01
Methiocarb sulfone	0.01
Methiocarb sulfoxide	0.01
Methomyl	0.01
Methoxychlor	0.01
Methoxyfenozide	0.01
Metobromuron	0.01
Metolachlor	0.01
Metolcarb	0.01
Metrafenone	0.01
Metribuzin	0.01
Metsulfuron-methyl	0.01
Mevinphos	0.01
Mexacarbate	0.01
MGK-264	0.01
Mirex	0.01
Molinate	0.01
Monocrotophos	0.01
Monolinuron	0.01
Myclobutanil	0.01
Naled	0.01
Napropamide	0.01
Neburon	0.01
Nicosulfuron	0.01
Nitrapyrin	0.02
Nitrofen	0.02
Norflurazon	0.01
Novaluron	0.01
Nuarimol	0.02
Omethoate	0.01
O-Phenylphenol	0.01
Oryzalin	0.01
Oxadiazon	0.01

 LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Page 2 of 3

Updated: 12.29.2022



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-007999/D003.R000
Report Date: 07/14/2023
Purchase Order:
Received: 07/07/23 10:06 AM



P2220 Multi-Residue Pesticide Profile

Analyte	LOQ (mg/kg)
Oxadixyl	0.01
Oxamyl	0.01
Oxamyl-oxime	0.01
Oxathiapiprolin	0.01
Oxychlorane	0.01
Oxydemeton-Methyl	0.01
Oxyfluorfen	0.01
Oxythioquinox	0.02
Pacllobutrazol	0.01
Paraoxon-ethyl	0.01
Paraoxon-methyl	0.01
Parathion-ethyl	0.01
Parathion-methyl	0.03
PCP (Pentachlorophenol)	0.01
Penconazole	0.01
Pendimethalin	0.01
Penflufen	0.01
Pentachloroaniline (PCA)	0.01
Pentachloroanisole	0.01
Pentachlorobenzene (PCB)	0.01
Pentachlorothioanisole (PCTA)	0.03
Penthiopyrad	0.01
Permethrin	0.01
Perthane	0.01
Phenmedipham	0.01
Phenothrin	0.01
Phenthoate	0.01
Phorate	0.01
Phorate OA	0.01
Phorate Sulfone	0.01
Phorate Sulfoxide	0.01
Phosalone	0.01
Phosmet	0.01
Phosphamidon	0.01
Phoxim	0.01
Phthalimide	0.02
Picloram	0.01
Pinoxaden	0.01
Piperonyl Butoxide	0.01
Pirimicarb	0.01
Pirimiphos-Ethyl	0.01
Pirimiphos-Methyl	0.01
Pirimisulfuron-Methyl	0.01
Prallethrin	0.01
Prochloraz	0.01
Procymidone	0.01
Prodiamine	0.01
Profenofos	0.01
Profluralin	0.01
Promecarb	0.01
Prometon	0.01
Prometryne	0.01
Pronamide (Propyzamide)	0.01
Propachlor	0.01

Analyte	LOQ (mg/kg)
Propamocarb	0.01
Propanil	0.01
Propargite	0.01
Propazine	0.01
Propetamphos	0.01
Propam	0.01
Propiconazole	0.01
Propoxur	0.01
Propoxycarbazone sodium	0.01
Prosulfuron	0.01
Prothioconazole	0.01
Prothiofos	0.01
Pydiflumetofen	0.01
Pymetrozine	0.01
Pyraclostrobin	0.01
Pyraflufen-ethyl	0.01
Pyrazophos	0.01
Pyrethrins	0.01
Pyridaben	0.01
Pyridate	0.01
Pyrifluquinazon	0.01
Pyrimethanil	0.01
Pyriproxifen	0.01
Pyroxasulfone	0.01
Pyrosulam	0.01
Quinalphos	0.01
Quinclorac	0.01
Quinoxifen	0.01
Quintozene(PCNB)	0.01
Quizalofop (free acid)	0.01
Resmethrin	0.01
Rimsulfuron	0.01
Rotenone	0.01
S-421	0.01
Saflufenacil	0.01
Sebutylazine	0.01
Sedaxane	0.01
Sethoxydim	0.01
Simazine	0.01
Simetryn	0.01
Spinetoram	0.01
Spinosad (α, β isomers)	0.01
Spirodiclofen	0.01
Spiromesifen	0.01
Spirotetramat	0.01
Spirotetramat-enol	0.01
Spiroxamine	0.01
Sulfallate	0.01
Sulfentrazone	0.03
Sulfometuron-methyl	0.01
Sulfosulfuron	0.01
Sulfotep	0.01
Sulfoxaflor	0.01
Sulprofos	0.01

Analyte	LOQ (mg/kg)
Tebuconazole	0.01
Tebufenozide	0.01
Tebuthiuron	0.01
Tecnazene	0.01
Tefluthrin	0.01
Tembotrione	0.01
Terbacil	0.04
Terbufos	0.01
Terbufos sulfone	0.01
Terbufos sulfoxide	0.01
Terbutylazine	0.01
Terbutryn	0.01
Tertrachlorvinphos	0.01
Tetraconazole	0.01
Tetradifon	0.01
Tetramethrin	0.01
Tetrasul	0.01
Thiabendazole	0.01
Thiabendazole, 5-hydroxy	0.01
Thiacloprid	0.01
Thiamethoxam	0.01
Thifensulfuron-methyl	0.01
Thiobencarb (benthiocarb)	0.01
Thiodicarb	0.01
Thiometon	0.02
Thionazin	0.01
Thiophanate-methyl	0.01
Tolclofos-methyl	0.01
Tolfenpyrad	0.01
Tolyfluanid	0.01
Topramezone	0.01
Tralkoxydim	0.01
Triadimefon	0.01
Triadimenol	0.01
Tri-allate	0.01
Triasulfuron	0.01
Triazophos	0.01
Tribenuron-methyl	0.01
Trichlorfon	0.01
Triclopyr	0.02
Trifloxystrobin	0.01
Trifloxysulfuron -sodium	0.01
Triflumizole	0.01
Trifluralin	0.01
Triflurosulfuron-methyl	0.01
Triforin	0.01
Trinexapac (acid)	0.01
Trinexapac Ethyl	0.01
Triticonazole	0.01
Vinclozolin	0.01
Zoxamide	0.01

LOQ= Limit of Quantitation
 mg/kg= milligram per kilogram (ppm)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.